



Ultra® & UltraMAX™ Airless Handheld

The world's most advanced handheld paint sprayers.



PROVEN QUALITY. LEADING TECHNOLOGY.

ULTRA[®]

AIRLESS HANDHELDS

The best in Performance, Finish, and Reliability.

Airless handheld sprayers are the essential tool for turning small jobs around fast, and the GRACO Ultra handhelds are the most advanced sprayers in the world—delivering top-notch speed, Perfect Airless Finish[™], and next-use reliability.

FASTEST WAY TO FINISH SMALL JOBS

Spray anywhere in seconds with fast and easy setup—cleanup in minutes with unmatched portability.



PERFECT AIRLESS FINISH – SMOOTH AND EVEN AT ANY SPEED

Achieve a flawless, single-coat finish with no thinning required. **SmartControl[™]**, our exclusive pressure management technology, delivers the same performance as the Ultra[™] 395PC — right in the palm of your hand.

RELIABILITY DELIVERED – EVERY JOB, EVERY TIME

- ▶ Clean up in minutes with all new easy-to-clean design
- ▶ No Inlet Valves to get stuck — prime and spray in seconds
- ▶ Reliable priming with Automatic Outlet Ball Knocker

**SPRAYS WATER & MINERAL SPIRITS
BASED MATERIALS ONLY
(NO FLAMMABLE MATERIALS)**



**SPRAYS WATER, SOLVENT &
FLAMMABLE BASED MATERIALS**



ULTRA CORDED
(17M359)



ULTRA CORDLESS
(17M363)



ULTRAMAX[™]
(17M367)

Breakthrough Performance, Reliability, and Finish.

TRIAX™ PUMP WITH PROCONNECT™



Depend on the durable, lightweight, and full tip support Triax™ triple piston pump — built from durable stainless steel and carbide components, and using ProConnect for a modular, drop-in on-the-job pump replacement.



1. Remove the cover with a screw driver.



2. Remove the old pump from the sprayer.



3. Place new pump into sprayer.



**PATENTED
TECHNOLOGY**

FLEXLINER™ BAG SYSTEM

Allows quick start-up, spray, and cleanup, along with the ability to spray in ANY direction — even upside down.



PRESSURE AND TIP SUPPORT

| FULL PRESSURE RANGE | FULL RANGE TIP SUPPORT |
|----------------------------|-------------------------------|
| 500 - 2,000 PSI | .008 - .016 |

RAC X™ FINE FINISH LOW PRESSURE TIPS

- Available in multiple sizes and the only tip necessary for full performance out of all Ultra & UltraMAX sprayers.



**POWERED BY
DEWALT®**

POWERED BY DEWALT

Compatible with any 20V Lithium Ion DEWALT battery

for more information, visit graco.com/ultraHH



From Start To Finish, The World's Most Advanced Handheld Paint Sprayer.

SPRAYS WATER AND MINERAL SPIRITS BASED COATINGS*

EXCLUSIVE BREAKTHROUGH

**PATENTED
TECHNOLOGY**

RAC X™ Low Pressure Tips

Reverse-A-Clean (RAC) SwitchTips deliver exceptional spraying results and make clearing tip clogs simple. Spray at lower pressure with ANY Graco Sprayer.



Delivers Perfect Airless Finish – just like an Ultra!

**PATENTED
TECHNOLOGY**

TRIAx Triple Piston Pump

Durable carbide pistons built to deliver extended reliability



**PATENTED
TECHNOLOGY**

32 oz (0.95 l) FlexLiner All new easy-to-clean design!

All new, easy-to-clean design

Disposable liners eliminate cleanup time

Spray in ANY direction – even upside down!



LIGHTEST PRO AIRLESS HANDHELD!



**FASTEST WAY TO FINISH
SMALL JOBS – PROVEN BY PROS!**

**PERFECT AIRLESS FINISH AT
ANY SPEED – WITHOUT THINNING**

**RELIABILITY DELIVERED –
EVERY JOB, EVERY TIME**

ULTRA[®]

AIRLESS HANDHELD

TECHNOLOGY!



LED Fuel Gauge

**PATENT
PENDING**

PRO CONNECT

Drop-In On-the-Job Triax pump replacement –
Patent Pending Technology



ProControl™ II Pressure Control

Adjust motor speed and flow for TOTAL
control with thin and thick materials

SmartControl

Delivers consistent spray fan at all spray pressures

**POWERED BY
DEWALT[®]**

Cordless models spray up to 1 gallon
with each charge

Compatible with any 20V Lithium Ion
DEWALT battery



ULTRA CORDED
(17M359)



ULTRA CORDLESS
(17M363)



ULTRAMAX™

CORDLESS AIRLESS HANDHELD

ONLY HANDHELD CAPABLE OF SPRAYING WATER-BASED, SOLVENT AND FLAMMABLE ARCHITECTURAL COATINGS



EXCLUSIVE FEATURES

FOUND ONLY ON ULTRAMAX AIRLESS HANDHELDS:

BRUSHLESS DC MOTORS

Most dependable, long life motors
Spark-free operation

SOLVENT RESISTANCE

Sprays everything including water-based, mineral spirit-based, flammable and solvent-based materials.

PATENTED TECHNOLOGY

STATIC SHOCK PROTECTION

Safely spray flammable coatings
—spark free!

POWERED BY

DEWALT®



Compatible with any 20V Lithium Ion DEWALT® battery

ULTRAMAX ALSO INCLUDES ALL FEATURES FOUND IN ULTRA HANDHELDS:

RAC X™ FF LP Tips

PATENTED TECHNOLOGY

Reverse-A-Clean (RAC®) SwitchTips deliver exceptional spraying results and make clearing tip clogs simple. Spray at lower pressure with ANY Graco Sprayer

TRIAx™

Triple Piston Pump

PATENTED TECHNOLOGY

Durable carbide piston built to deliver extended reliability

ProConnect™

PATENT PENDING

Fast & easy on-the-job Triax™ pump replacement

ProControl™ II Pressure Control

Adjust motor speed and flow for TOTAL control with thin and thick materials

SmartControl™

Delivers consistent spray fan at all spray pressures

32 oz FlexLiner™

PATENTED TECHNOLOGY

All new easy-to-clean design!

Disposable liners eliminate cleanup time
Spray in ANY direction – even upside down!



| | ULTRA AIRLESS HANDHELD - CORDED | ULTRA AIRLESS HANDHELD - CORDLESS | ULTRAMAX AIRLESS HANDHELD - CORDLESS |
|-------------------------------|--|---|---|
| Part Number | 17M359 | 17M363 | 17M367 |
| "Flammable" Solvent Capable | No | No | YES |
| Pressure Control | Yes | Yes | Yes |
| Pressure Adjustment | 500-2,000 psi (34-138 bar) | 500-2,000 psi (34-138 bar) | 500-2,000 psi (34-138 bar) |
| Tip Support | RAC X Low Pressure Tips ONLY .008 - .016 (FFLP & LP) | RAC X Low Pressure Tips ONLY .008 - .016 (FFLP & LP) | RAC X Low Pressure Tips ONLY .008 - .016 (FFLP & LP) |
| Tip(s) Included | RAC X FFLP 514 | RAC X FFLP 514 | RAC X FFLP 514 & RAC X FFLP 210 |
| 32 oz FlexLiner Bags Included | 4 | 4 | 6 |
| Power/Battery* | — | (2) DEWALT 20V MAX* COMPACT 2.0 ah XR Lithium Ion Batteries and (1) Charger | (2) DEWALT 20V MAX* COMPACT 2.0 ah XR Lithium Ion Batteries and (1) Charger |
| Filter Mesh Included | 60 Mesh | 60 Mesh | 60 & 100 Mesh |
| Fully Repairable | Yes | Yes | Yes |
| ProConnect | Yes | Yes | Yes |
| Storage Bag | Yes | Yes | Yes |
| Triax Replacement Kit | 17P185 | 17P186 | 17P187 |
| Outlet Valve Replacement Kit | 17P183 | 17P183 | 17P183 |
| Manual | 3A4433 | 3A4476 | 3A4803 |

*With respect to 20v MAX, maximum initial battery voltage (measured without workload), is 20 volts. Nominal is 18 volts.

Accessories

FLEXLINER ACCESSORIES:

- 17A226 - 32 oz (0.95 l) FlexLiner Paint Bags (3 pack)
- 17P212 - 32 oz (0.95 l) FlexLiner Paint Bags (25 pack)
- 17F005 - 42 oz (1.2 l) FlexLiner Paint Bags (3 pack)
- 17P549 - 42 oz (1.2 l) FlexLiner Paint Bags (25 pack)
- 17M879 - FlexLiner Storage Plug
- 17R611 - FlexLiner Storage Plug (Solvent Based)



EXTRA FLEXLINER CUP ASSEMBLIES:

- 17P550 - 32 oz (0.95 l) FlexLiner System
- 17P551 - 32 oz (0.95 l) FlexLiner System (Solvent Based)
- 17P552 - 42 oz (1.2 l) FlexLiner System
- 17P553 - 42 oz (1.2 l) FlexLiner System (Solvent Based)



TIPS:

FFLPXXX - RAC X FFLP SwitchTips



BATTERIES:

- 17P474 - DeWALT 20V MAX XR Lithium Ion Battery
- 17P475 - DeWALT 20V MAX XR Lithium Ion Charger



FILTERS:

- 17P554 - 60 Mesh (3-Pack)
- 17P555 - 100 Mesh (3-Pack)



MISC:

- 17M883 - Storage Case
- 17P712 - VacuValve™ Cap Replacement (3 Pack)
- 287019 - 10 in (25cm) RAC X Tip Extension (Ultra Models Only)
- 287020 - 15 in (38cm) RAC X Tip Extension (Ultra Models Only)
- 287030 - CleanShot Shut-Off Valve (Ultra Models Only)
- 235486 - 180° Easy Turn Directional Spray Nozzle (Ultra Models Only)



NOW AVAILABLE IN A WIDE RANGE OF TIP SIZES TO MEET THE PERFORMANCE NEEDED ON EACH AND EVERY JOB.

| ORIFICE SIZE – INCHES | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| In (mm) | 0.008 | 0.010 | 0.012 | 0.014 | 0.016 |
| 2-4 (51-102) | 108 | 110 | 112 | | |
| 4-6 (102-152) | 208 | 210 | 212 | 214 | |
| 6-8 (152-203) | 308 | 310 | 312 | 314 | |
| 8-10 (203-254) | | 410 | 412 | 414 | |
| 10-12 (254-305) | | 510 | 512 | 514 | 516 |
| 12-14 (305-356) | | | | | 616 |
| Flow Rate (gpm) | .07 | .11 | .15 | .21 | .27 |
| Flow Rate (lpm) | .26 | .41 | .59 | .80 | 1.04 |

Water at 2000 psi (138 bar, 13.8 MPa); paints with a higher viscosity will decrease the flow rate.
Example: For a tip with a .010 orifice and a 8 in (203 mm) pattern, order FFLP410.



Every Graco purchase comes with A+ Customer Service.
Questions? Call (844) 241-9499

Warranty

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

1-YEAR DEFECT WARRANTY

Coverage against defects in materials and workmanship on the entire sprayer.

3-YEAR DEWALT DEFECT WARRANTY.

Coverage against defects in materials and workmanship on batteries and charger.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 500 locations to administer warranty repair.

*30-day "Just Add Paint" warranty does not cover the Corded Ultra Airless Handheld units.



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Fluid Equipment
(Shanghai) Co., Ltd
Building 7, 1029 Zhongshan
Road South
Huangpu District, Shanghai,
200011, China
Tel: 86 512 6260 5711
Fax: 86 21 6495 0077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955

©2017 Graco Inc. 344104 Rev. C 11/17 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers. Product covered by issued and pending patents, see graco.com/us/en/patents. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. Product covered by issued and pending patents, see graco.com/us/en/patents