



# Atomex 20 Litre Paint Pressure Pots Tank with Air Agitator and Bottom Outlet

**\$1,787.80**  
**INCL. GST**

## Product Images



## Short Description

Atomex 20 Litre pressure pot paint tanks with Air Agitator and Bottom Outlet are designed for high capacity spray painting applications where a larger volume of paint is required. Available in a range of sizes to suit your application.

## Description

---

Atomex pressure pots are designed for industrial paint applications where larger volumes of paint are required. These are available in a range of sizes from 2 Litre, 4 Litre, 10 Litre, 20 Litre, 40 Litre and 80 Litres capacity.

Atomex pressure pots come in the following variations –

### **Top Fluid Outlet**

This model has a pick up tube inside the tank where fluid is forced under pressure to the fluid outlet on the lid. The fluid outlet size is 3/8" BSP Male in which your material or paint hose is connected. These are the most common models sold and widely used for enamels, hammer tone and 2K products.

### **Bottom Fluid Outlet**

This model has the fluid outlet located at the bottom of the tank, this is used for much heavier materials where the product may struggle to get to the lid. Bottom outlet pressure pots are also fantastic for fluid transfer vessels as the outlet size at the bottom of the tank is 3/4".

Top & Bottom Fluid Outlet models can be purchased in three configurations:

### **Non Agitator**

This has no internal mixer.

### **Manual Agitator**

This has a manual agitator handle at the top of the pot that enables mixing of the paint product to be done periodically while under pressure.

### **Automatic Agitator**

This includes an inbuilt air driven agitator that can be adjusted to the desired speed to keep your paint product mixed while under pressure. Automatic agitators are very useful when spraying larger volumes of paint that can settle over time. Using the agitator at a slow speed keeps the product in constant suspension avoiding solids in the paint settling to the bottom of the tank.

Pressure pots will require a twin air/fluid hose to connect the air and fluid from your pot to the spray gun. Air/Fluid Twin hoses are sold in 2.5m, 5.0m, 7.5m, 10.0m, 12.5m and 15m. Twin hose is fitted with two fittings at each end, 1/4" BSP for the air and 3/8" BSP for the fluid.

When selecting a gun to be used on a pressure pot it is recommended that you buy a pressure feed spray gun that is designed to be run off a pressure pot or double diaphragm pump. Pressure feed guns are designed to hold higher fluid pressure at the nozzle.

Atomex pressure pots are a high quality pressure pot that complies with Australian Standard AS4343 and TUV Rheinland.

We hold full stock of spare parts for Atomex pressure pots such as pot seals, filters, fittings and regulators.

## Additional Information

---

Brands

Atomex

