



DeVilbiss GTi Pro Gravity Spray Gun Gold 1.3mm/1.4mm Nozzle

Regular Price

\$952.71 Special
Price

\$571.63

INCL. GST

Product Images



Short Description

DeVilbiss expertise and performance unequalled at work... The DeVilbiss GTi PRO spray gun family ensures

there's a spray gun to suit all types of industrial spray finishing application.

Description

DeVilbiss expertise and performance unequalled at work... The DeVilbiss GTi PRO spray gun family ensures there's a spray gun to suit all types of industrial spray finishing application.

The DeVilbiss GTi Pro is available five air cap variations, please read below before choosing your air cap.

T110 - Clearcoat (higher solids) and super smooth finishing

- High performance Trans-Tech atomisation technology best suited to clearcoating and glosses.
- This aircap brings new levels of performance, particularly in the application of the latest compliant clearcoats.
- It also scores highly in its ability to eradicate dimple defects that can occur with low solvent clearcoats; does not have the same transfer efficiency of the other caps though.
- As OEM finishes are not that smooth, does not always suit such as when using lower solid technology.
- Particularly suited to classic car finishers or industrial applications as it applies like glass.
- Air consumption: 9.4cfm- 265l/min.

TE20 - Faster flow gloss/lacquer

- All round gloss / clearcoat gun.
- Flow rate and fan pattern lend themselves towards a wetter application style.
- Compliant trans-tech high transfer efficiency (but not HVLP)
- Fluid tip sizes available: 1.2, 1.3 and 1.4. For 2K gloss / clear the 1.3 is by far the most popular choice and is recommended by the majority of paint manufacturers for their HS 2K products.
- Atomisation Technology: High Efficiency
- Air Flow L/min: 360 (12.7 cfm)
- Fluid g/m: 170 - 200
- Pattern Height: 285 - 300mm

HV25 - HVLP higher solids clearcoats and solvent & waterborne basecoats

- Positioned between the TE20 and HV30 air caps
- A 'hybrid' of high efficiency and HVLP combining to be one of the best performing air caps to date
- Larger and straighter sided fan pattern significantly aids overlapping to improve gloss levels and clearcoat
- Produces perfect metallic control basecoats
- Ideal for higher solid clearcoats and solvent & waterborne basecoat

HV30 - HVLP Max Transfer efficiency

- This aircap delivers maximum transfer efficiency rates so is particularly suitable for waterborne basecoat application.
- Air Flow L/min: 460 (16.3 cfm)
- Fluid g/m: 160 - 190
- Pattern Height: 300 - 325mm

TE10 - Solvent & all rounder

- Trans-tech high transfer efficiency, not HVLP and best suits solvent basecoat - though can be used for waterbased and also lacquer - this is a good all rounder to do multiple tasks.
- Suits basecoat application in a more traditional (non HVLP) style.
- Particularly suits solvent basecoats however is sometimes favoured / recommended by some paint companies for waterborne basecoat application.

- This is a 'Trans-tech' air cap, which is compliant but is not HVLP. This means the spray pattern is more elliptical (squat/rounded) than the open flat (wide fan width) pattern found on the H1 air cap. See info pack button above for more info.
- Atomisation Technology: High Efficiency
- Air Flow L/min: 270 (9.5 cfm)
- Fluid g/m: 160 - 190
- Pattern Height: 290 - 310mm

The superior Devilbiss GTi Pro performance is achieved with new and improved design technology utilising free breathing high capacity air passages and a coaxial linear air valve to provide unrestricted and even flow of compressed air through the spray gun body. This smooth air movement enables the precision-engineered air caps and fluid tips to produce superior atomisation with consistent droplet distribution throughout the spray pattern.

The DeVilbiss GTi Pro is precision built using the highest quality materials and component parts for a guaranteed, reliable, long and durable working life in all industrial markets. A drop forged aluminium body with tough anodised external finish, high grade stainless steel fluid tips and needles and nickel plated hard brass air caps all contribute to a gun that can last in the extreme environment of the spray shop. When routine maintenance is needed then the simple design and easy to maintain format ensures minimum down time and interrupted production.

DeVilbiss GTi Pro Gravity Spray Features -

- Enhanced ergonomics combined with DeVilbiss' legendary fit and feel ensure incredible performance, handling and balance
- Comprehensive range of Conventional, HVLP and Trans Tech (Compliant) Air Caps for choice of Transfer Efficiency, Atomisation power and Application requirements
- Extensive range of stainless steel, hardened and tungsten carbide fluid tips and needles for all types of industrial applications
- Coaxial trigger air valve design for lighter trigger pull and improved air flow
- Drop forged aluminium gun body and removable air baffle for a longer working life.
- Fully Environmental Legislation Compliant with high transfer efficiency resulting in significant paint savings.
- Air adjuster valve provides instant "on gun" pressure adjustment for the sprayer
- Fully ATEX certified and authorised for use in the EU community
- Choice of three colours in black, blue or gold.

Additional Information

Brands	DeVilbiss
--------	-----------

Additional Options

Choose Air Cap	TE20 High Efficiency Air Cap (Standard)	\$0.00
	TE10 High Efficiency Air Cap	\$0.00
	HV30 HVLP High Efficiency Air Cap	\$0.00
	HV25 HVLP High Efficiency Air Cap	\$0.00

