



# Bulkhead Union Panel Mount Connector Push Fitting

**\$5.65**  
**INCL. GST**

## Product Images



## Short Description

Bulkhead Union Panel Mount Connector Push Fitting can be used for air, liquids and some inert gases. Push-in air line fittings allow fast connection and disconnection for compressed air circuits eliminating the need for tools.

## Description

Push-in fittings are used for connecting polyurethane or nylon tubing mostly in compressed air circuits but can also be used for some liquids and inert gas.

Rated to 150psi maximum working pressure and constructed of composite plastic, brass with stainless steel locking ring.

Push-in fittings require no tools when connecting or disconnecting tubing, simply push the tube into the fitting and it's locked into position. To remove the tube simply push the blue collar down back towards the fitting and pull the tube away.

**Bulkhead Union Panel Mount Connector Push Fittings are available in the following sizes -**

4mm Tube x 4mm Tube Bulkhead Union Push Fit	Part No. AX/12-SPUWM4
6mm Tube x 6mm Tube Bulkhead Union Push Fit	Part No. AX/12-SPUWM6
8mm Tube x 8mm Tube Bulkhead Union Push Fit	Part No. AX/12-SPUWM8
10mm Tube x 10mm Tube Bulkhead Union Push Fit	Part No. AX/12-SPUWM10
12mm Tube x 12mm Tube Bulkhead Union Push Fit	Part No. AX/12-SPUWM12

We keep all of these push fit sizes in stock, orders placed before 3.00pm Monday-Friday will be despatched the same day by express courier.

We also stock polyurethane & nylon air/fluid hosing by the meter and in rolls with delivery Australia wide.

## Additional Information

Brands	Atomex
--------	--------

## Additional Options

Choose a push fitting size	4mm Pushfit Joiner - Wall/Panel Mount	\$0.00
	6mm Pushfit Joiner - Wall/Panel Mount	\$1.49
	8mm Pushfit Joiner - Wall/Panel Mount	\$2.83
	10mm Pushfit Joiner - Wall/Panel Mount	\$7.14
	12mm Pushfit Joiner - Wall/Panel Mount	\$10.92

