



# Atomex X-50CT Contractor Airless Spray Tip

As low as  
**\$63.00**

## Product Images



## Short Description

Atomex X-50CT Contractor reversible airless spray tips are made in the USA using the hardest tungsten carbide in the industry. Ideal for the contract painter & decorator that demands the highest quality spray finish.

# Description

Atomex X-50CTContractor airless spray tips are made from the hardest tungsten carbide in the industry formulated to a Rockwell Hardness of 93 – a diamond’s hardness is 100. We guarantee the longest tip life and superior pattern in the industry.

## Available sizes for the Atomex X-50CT Contractor Airless Spray Tip

Fan Width - Inches						
GPM	4-6	6-8	8-10	10-12	12-14	LPM
0.12	211	311	411	511	611	0.49
0.18	213	313	413	513	613	0.69
0.24	215	315	415	515	615	0.91
0.31	217	317	417	517	617	1.17
0.38	219	319	419	519	619	1.47
0.47	221	321	421	521	621	1.79
Fan Width - Centimeters						
	10-15	15-20	20-25.5	25.5-30.5	30.5-35.5	

Seal alignment, the patented tip seal has a square opening that fits on the end of the tip handle. This unique feature allows you to easily insert the seal into the guard. Then simply twist the tip handle to line up the seal cavity accurately to receive the tip shaft. Quick accurate installation every time!



## Atomex X-50CTContractor Reversible Airless Spray Tip Features –

- 5000psi Pressure Rating
- Interchangeable with most brands
- Mega-Hard Tungsten Carbide
- Patented tip seal design
- Huge range and stock
- Made in the USA



### Additional Information

---

Brands	Atomex
Equipment Type	Airless Sprayers, Line Marking Machines
Machine Type	Electric 240V, Petrol Powered, Airless Spray Guns
Machine Model Number	GM-60E, GM-70G, LM-70, GM-20E
OEM	Original Part

# Product Options

Atomex X50CT Contractor Airless Spray Tip:	211
	311
	213
	215
	217
	219
	221
	311
	313
	315
	317
	319
	321
	411
	413
	415
	417
	419
	421
	511
	513
	515
	517
	519
	521
	611
	613
	615
	617
	619
	621

