



DeVilbiss Pro Air 2 Filter Regulator Coalescer

\$1,452.00 Special Price \$1,089.00 INCL. GST

Product Images





Short Description


DeVilbiss ProAIR-2 is the industry favourite for fitting in an automotive refinish spray booth, providing clean breathable air for air fed safety equipment. Stage two filter systems are the minimum standard for air breathing respitory protection.

Description

DeVilbiss Pro Air 2 Filter Regulator Coalescer Triple filtration removes dirt and other contaminants down to 0.01 microns through the coalescing filter, while the capacity of 32 cfm provides sufficient air flow to run an air fed mask and spray gun. Suitable for use in low bake spray booths (up to 80°C).


DeVilbiss ProAir2 Filter Regulator Coalescer features -

- High air flows for conventional and compliant spray guns.
- Rolling diaphragm for rapid response and precision control.
- Optional filter specifications for spraying and air fed respiratory protection outfits.
- Tough, heavy duty construction for long service life.
- Multi-valved outlets for spray gun and air fed respiratory protection plus semi-automatic filter drains.
- Tamper proof, removable and lockable adjustment knobs.




Pro AIR2









Manually - The valve push button rotated to the right shuts off the drain permanently, until it is rotated to the left when it can be pushed up to drain even when the unit is pressurised.

Semi-Automatic - The valve push button is rotated to the left, in this mode when the air pressure is exhausted from the unit the push button opens under spring operation.

DeVilbiss Part No. PROAIR-2

AA Spray stock a full range of DeVilbiss Air Fed Masks including tear off visor covers, belt filters and replacement activated carbon filters with fast delivery Australia wide.

Additional Information

Brands DeVilbiss

