



DeVilbiss Pro Air 3 Filter Regulator Coalescer with Activated Carbon Filter

Regular Price

\$1,889.80

Special Price

\$1,417.35

INCL. GST

Product Images



Short Description

The DeVilbiss ProAIR-3 incorporates both filters from the ProAIR 1 and 2 plus and activated carbon filter, supplying breathing air filtered down to 0.003 microns and suitable for air fed respirators. Stage three filter systems are the highest standard for air breathing respiratory protection.

Description

The DeVilbiss ProAIR-3 incorporates both filters from the ProAIR 1 and 2 plus an activated carbon filter, supplying breathing air filtered down to 0.003 microns and suitable for air fed respirators. The activated carbon filter removes traces of oil, solvents, hydrocarbons and unpleasant odours while the high airflow is ample for conventional and compliant spray guns. Also suitable for use in a low bake spray booth (up to 80°C).

DeVilbiss ProAir3 Filter Regulator Coalescer With Activated Carbon Filter features –

- High air flows for conventional and compliant spray guns.
- Rolling diaphragm for rapid response and precision control.
- Optional filter specifications for spraying and air fed respiratory protection outfits.
- Tough, heavy duty construction for long service life.
- Multi-valved outlets for spray gun and air fed respiratory protection plus semi-automatic filter drains.
- Tamper proof, removable and lockable adjustment knobs.

PROAIR3 EXAMPLE



Pro AIR-3



Pro AIR3

Removal 



Ellement Filter
PROAIR-51

Removes oil vapors and
water vapors to $5\mu\text{m}$

Removal 



Coalescer Ellement Filter
PROAIR-52

Removes particles, oil vapors
and water vapors to $0.01\mu\text{m}$


Removal 




Carbon Ellement Filter
PROAIR-53

Removes particles, oil vapors,
water vapors and odor to $0.003\mu\text{m}$


OFF  Slide




Slide  ON



Higher pressure



Lower pressure



Manually - The valve push button rotated to the right shuts off the drain permanently, until it is rotated to the left when it can be pushed up to drain even when the unit is pressurised.

Semi-Automatic - The valve push button is rotated to the left, in this mode when the air pressure is exhausted from the unit the push button opens under spring operation.

DeVilbiss Part No. PROAIR-3

AA Spray stock a full range of DeVilbiss Air Fed Masks including tear off visor covers, belt filters and replacement activated carbon filters with fast delivery Australia wide.

Additional Information

Brands	DeVilbiss
--------	-----------

